

NEW DIETARY INGREDIENT NOTIFICATION FOR CARDIABEAT™

APPENDIX D References A-K

Submitted to: Division of Standards and Labeling Regulations
Office of Nutritional Products, Labeling and Dietary
Supplements
Center for Food Safety and Applied Nutrition
Food and Drug Administration
5100 Paint Branch Parkway
College Park, MD
20740-3835

Submitted by: Enzymotec Ltd.
Hataasia 5 St.
P.O. Box 6
Migdal HaEmeq 23106
Israel

January 17, 2004

REFERENCES

- Almallah, Y.Z.; Ewen, S.W.; El-Tahir, A.; Mowat, N.A.; Brunt, P.W.; Sinclair, T.S.; Heys, S.D.; Eremin, O. 2000. Distal proctocolitis and n-3 polyunsaturated fatty acids (n-3 PUFAs): the mucosal effect *in situ*. *J Clin Immunol* 20(1):68-76.
- Almdahl, S.M.; Nilsen, D.W.T.; Østerud, B.; Sørlie, D.G.; Vaag, J. 1993. Thromboplastin activities and monocytes in the coronary circulation of reperfused human myocardium. *Scand J Thorac Cardiovasc Surg* 27(1):81-86.
- Amundsen, Å.I.; Ose, L.; Nenseter, M.S.; Ntanios, F.Y. 2002. Plant sterol ester-enriched spread lowers plasma total and LDL cholesterol in children with familial hypercholesterolemia. *Am J Clin Nutr* 76(2):338-344.
- Arterburn, L.M.; Boswell, K.D.; Koskelo, E.; Kassner, S.L.; Kelly, C.; Kyle, D.J. 2000. A combined subchronic (90-day) toxicity and neurotoxicity study of a single-cell source of docosahexaenoic acid triglyceride (DHASCO® oil). *Food Chem Toxicol* 38(1):35-49.
- Astorg, P.; Arnault, N.; Czernichow, S.; Noisette, N.; Galan, P.; Hercberg, S. 2004. Dietary intakes and food sources of n-6 and n-3 PUFA in French adult men and women. *Lipids* 39(6):527-535.
- Ayesh, R.; Weststrate, J.A.; Drewitt, P.N.; Hepburn, P.A. 1999. Safety evaluation of phytosterol esters. Part 5. Faecal short-chain fatty acid and microflora content, faecal bacterial enzyme activity and serum female sex hormones in healthy normolipidaemic volunteers consuming a controlled diet either with or without a phytosterol ester-enriched margarine. *Food Chem Toxicol* 37(12):1127-1138.
- Badalamenti, S.; Salerno, F.; Sameron, J.M.; Lorenzano, E.; Rimola, A.; Gines, P.; Jimenez, W.; Graziani, G.; Arroyo, V.; Rodes, J.; Ponticelli, C. 1997. Lack of renal effects of fish oil administration in patients with advanced cirrhosis and impaired glomerular filtration. *Hepatology* 25(2):313-316.
- Bagdade, J.D.; Ritter, M.; Subbaiah, P.V. 1996. Marine lipids normalize cholesteryl ester transfer in IDDM. *Diabetologia* 39:487-491.
- Baker, V.A.; Hepburn, P.A.; Kennedy, S.J.; Jones, P.A.; Lea, L.J.; Sumpter, J.P.; Ashby, J. 1999. Safety evaluation of phytosterol esters. Part 1. Assessment of oestrogenicity using a combination of *In vivo* and *In vitro* assays. *Food Chem Toxicol* 37(1):13-22.
- Balestrieri, G.P.; Maffi, V.; Sleiman, I.; Spandrio, S.; Di Stefano, O.; Salvi, A.; Scalvinini, T. 1996. Fish oil supplementation in patients with heterozygous familial hypercholesterolemia. *Recenti Prog Med* 87:102-105.
- Bang, H.O.; Dyerberg, J. 1980. The bleeding tendency in Greenland Eskimos. *Danish Med Bull* 27(4):202-205.

- Banno, F.; Doisaki, S.; Shimizu, N.; Fujimoto, K. 2002. Lymphatic absorption of docosahexaenoic acid given as monoglyceride, diglyceride, triglyceride, and ethyl ester in rats. *J Nutr Sci Vitaminol* 48(1):30-35.
- Berson, E.L.; Rosner, B.; Sandberg, M.A.; Weigel-Difranco, C.; Moser, A.; Brockhurst, R.J.; Hayes, K.C.; Johnson, C.A.; Anderson, E.J.; Gaudio, A.R.; Willett, W.C.; Schaefer, E.J. 2004. Clinical trial of docosahexaenoic acid in patients with retinitis pigmentosa receiving vitamin A treatment. *Arch Ophthalmol* 122(9):1297-1305.
- Bobková, D.; Honsová, E.; Kovář, J.; Pledne, R. 2004. Effect of diets on lipoprotein concentrations in heterozygous apolipoprotein E-deficient mice. *Physiol Res* 53(6):635-643.
- Brister, S.J.; Buchanan, M.R. 1998. Effects of linoleic acid and/or marine fish oil supplements on vessel wall thromboresistance in patients undergoing cardiac surgery. In: Sinzinger, H.; Samuelsson, B.; Vane, J.R.; Paoletti, R.; Ramwell, P.; Wong, P.Y.-K. (Eds.). Recent Advances in Prostaglandin, Thromboxane, and Leukotriene Research. 10th International Conference on Prostaglandins and Related Compounds - Proceedings, Sept. 22-27, 1996, Vienna, Austria. Advances in Experimental Medicine and Biology, Vol. 433, pp. 275-278.
- Burns, C.P.; Halabi, S.; Clamon, G.H.; Hars, V.; Wagner, B.A.; Hohl, R.J.; Lester, E.; Kirshner, J.J.; Vinciguerra, V.; Paskett, E. 1999. Phase I clinical study of fish oil fatty acid capsules for patients with cancer cachexia: Cancer and Leukemia Group B Study 9473. *Clin Cancer Res* 5(12):3942-3947.
- Cerqueira, M.T.; Fry, M.M.; Connor, W.E. 1979. The food and nutrient intakes of the Tarahumara Indians of Mexico. *Am J Clin Nutr* 32(4):905-915.
- Chin, J.P.; Dart, A.M. 1994. Therapeutic restoration of endothelial function in hypercholesterolaemic subjects: Effect of fish oils. *Clin Exp Pharmacol Physiol* 21(10):749-755.
- Christensen, J.H.; Gustenhoff, P.; Ejlersen, E.; Jessen, T.; Korup, E.; Rasmussen, K.; Dyerberg, J.; Schmidt, E.B. 1995. n-3 Fatty acids and ventricular extrasystoles in patients with ventricular tachyarrhythmias. *Nutr Res* 15(1):1-8.
- Christiansen, L.I.; Lähteenmaki, P.L.; Mannelin, M.R.; Seppänen-Laakso, T.E.; Hiltunen, R.V.; Yliruusi, J.K. 2001. Cholesterol-lowering effect of spreads enriched with microcrystalline plant sterols in hypercholesterolemic subjects. *Eur J Nutr* 40(2):66-73.
- Clark, W.F.; Parbtani, A.; Naylor, C.D.; Levinton, C.M.; Muirhead, N.; Spanner, E.; Huff, M.W.; Philbrick, D.J.; Holub, B.J. 1993. Fish oil in lupus nephritis: Clinical findings and methodological implications. *Kidney Int* 44(1):75-85.
- Clifton, P.M.; Noakes, M.; Sullivan, D.; Erichsen, N.; Ross, D.; Annison, G.; Fassoulakis, A.; Cehun, M.; Nestel, P. 2004. Cholesterol-lowering effects of plant sterol esters differ in milk, yoghurt, bread and cereal. *Eur J Clin Nutr* 58(3):503-509.

- Connor, W.E.; Prince, M.J.; Ullmann, D.; Riddle, M.; Hatcher, L.; Smith, F. E.; Wilson, D. 1993. The hypotriglyceridemic effect of fish oil in adult-onset diabetes with adverse glucose control. *Ann N Y Acad Sci* 683:337-340.
- Conquer, J.A.; Cheryk, L.A.; Chan, E.; Gentry, P.A.; Holub, B.J. 1999. Effect of supplementation with dietary seal oil on selected cardiovascular risk factors and hemostatic variables in healthy male subjects. *Thromb Res* 96(3):239-250.
- El Samannoudy, F.A.; Shareha, A.M.; Ghannudi, S.A.; Gillaly, G.A.; El Mougy, S.A. 1980. Adverse effects of phytoestrogens: 7. Effect of β -sitosterol treatment on follicular development, ovarian structure and uterus in the immature female sheep. *Cell Mol Biol* 26(3):255-266.
- Engström, K.; Luostarinen, R.; Saldeen, T. 1996. Whole blood production of thromboxane, prostacyclin and leukotriene B₄ after dietary fish oil supplementation in man: Effect on vitamin E. *Prostaglandin, Leukot Essent Fatty Acids* 54(6):419-425.
- Eritsland, J.; Seljeflot, M.; Abdelnoor, M.; Arnesen, H. 1994a. Long-term influence of omega-3 fatty acids on fibrinolysis, fibrinogen, and serum lipids. *Fibrinolysis* 8:120-125.
- Eritsland, J.; Seljeflot, M.; Abdelnoor, M.; Arnesen, H.; Torjesen, P.A. 1994b. Long-term effects on N-3 fatty acids on serum lipids and glycemic control. *Scand J Clin Lab Invest* 54:273-280.
- Eritsland, J.; Arnesen, H.; Seljeflot, I.; Kierulf, P. 1995a. Long-term effects of n-3 polyunsaturated fatty acids on haemostatic variables and bleeding episodes in patients with coronary artery disease. *Blood Coagul Fibrinolysis* 6(1):17-22.
- Eritsland, J.; Arnesen, H.; Seljeflot, I.; Høstmark, A.T. 1995b. Long-term metabolic effects of n-3 polyunsaturated fatty acids in patients with coronary artery disease. *Am J Clin Nutr* 61:831-836.
- Eritsland, J.; Arnesen, H.; Grønseth, K.; Fjeld, N.B.; Abdelnoor, M. 1996. Effect of dietary supplementation with n-3 fatty acids on coronary artery bypass graft patency. *Am J Cardiol* 77(1):31-36.
- Ewart, H.S.; Cole, L.K.; Kralovec, J.; Layton, H.; Curtis, J.M.; Wright, J.L.; Murphy, M.G. 2002. Fish oil containing phytosterol esters alters blood lipid profiles and left ventricle generation of thromboxane A₂ in adult guinea pigs. *J Nutr* 132(6):1149-1152.
- Fasching, P.; Rohac, M.; Liener, K.; Schneider, B.; Nowotny, P.; Waldhausl, W. 1996. Fish oil supplementation versus Gemfibrozil treatment in hyperlipidemic NIDDM. *Horm Metab Res* 28(5):230-236.
- FDA. 1993. Appendix I. Table 14. Conversion table for test chemical treatment doses used in PAFA. In: Priority Based Assessment of Food Additives (PAFA) Database. Food and Drug Administration, U.S. (FDA), Center for Food Safety and Applied Nutrition (CFSAN); Washington, DC, p. 58.
- FDA. 1997. Substances affirmed as generally recognized as safe: Menhaden oil - Final rule (21 CFR Part 184, Docket No. 86G-0289). *Fed Reg U.S.* 62(108):30751-30757.

- FDA. 2000a. Letter Regarding Dietary Supplement Health Claim for Omega-3 Fatty Acids and Coronary Heart Disease (Docket No. 91N-0103) [To Jonathan W. Emord, Emord & Associates, P.C. from Christine J. Lewis, Director]. Food and Drug Administration, U.S. (FDA), Center for Food Safety and Applied Nutrition (CFSAN), Office of Nutritional Products, Labeling, and Dietary Supplements. [<http://vm.cfsan.fda.gov/~dms/ds-ltr11.html>].
- FDA. 2000b. Food labeling: Health claims; Plant sterol/stanol esters and coronary heart disease (Interim final rule – 21 CFR Part 101). Fed Reg U.S. 65(175):54685-54739.
- FDA. 2004. Substances affirmed as generally recognized as safe: Menhaden oil (Tentative final rule – 21 CFR Part 184). Fed Reg U.S. 69(10):2313-2317.
- Fenton, W.S.; Dickerson, F.; Boronow, J.; Hibbeln, J.R.; Knable, M. 2001. A placebo-controlled trial of omega-3 fatty acid (ethyl eicosapentaenoic acid) supplementation for residual symptoms and cognitive impairment in schizophrenia. *Am J Psychiatry* 158(12):2071-2074.
- Freese, R.; Mutanen, M. 1997a. α -Linolenic acid and marine long-chain n-3 fatty acids differ only slightly in their effects on hemostatic factors in healthy subjects. *Am J Clin Nutr* 66(3):591-598.
- Freese, R.; Mutanen, M. 1997b. Small effects of linseed oil or fish oil supplementation on postprandial changes in hemostatic factors. *Thromb Res* 85(2):147-152.
- Gogos, C.A.; Ginopoulos, P.; Salsa, B.; Apostolidou, E.; Zoumbos, N.C.; Kalfarentzos, F. 1998. Dietary omega-3 polyunsaturated fatty acids plus vitamin E restore immunodeficiency and prolong survival for severely ill patients with generalized malignancy: A randomized control trial. *Cancer* 82(2):395-402.
- Gray, D.R.; Gozzip, C.G.; Eastham, J.H.; Kashyap, M.L. 1996. Fish oil as an adjuvant in the treatment of hypertension. *Pharmacotherapy* 16(2):295-300.
- Grimsgaard, S.; Bønaa, K.H.; Hansen, J.B.; Nordøy, A. 1997. Highly purified eicosapentaenoic acid and docosahexaenoic acid in humans have similar triacylglycerol-lowering effects but divergent effects on serum fatty acids. *Am J Clin Nutr* 66(3):649-659.
- Grundt, H.; Nilsen, D.W.; Hetland, Ø.; Mansoor, M.A.; Aarsland, T.; Woie, L. 1999. Atherothrombogenic risk modulation by n-3 fatty acids was not associated with changes in homocysteine in subjects with combined hyperlipidaemia. *Thromb Haemost* 81:561-565.
- Gupta, M.B.; Nath, R.; Srivastava, N.; Shanker, K.; Kishor, K.; Bhargava, K.P. 1980. Anti-inflammatory and antipyretic activities of β -sitosterol. *Planta Med* 39(2):157-163.
- Hallikainen, M.A.; Sarkkinen, E.S.; Gylling, H.; Erkkila, A.T.; Uusitupa, M.I. 2000. Comparison of the effects of plant sterol ester and plant stanol ester-enriched margarines in lowering serum cholesterol concentrations in hypercholesterolaemic subjects on a low-fat diet. *Eur J Clin Nutr* 54(9):715-725.

- Hansen, J.-B.; Olsen, J.O.; Wilsgard, L.; Lyngmo, V.; Svensson, B. 1993a. Comparative effects of prolonged intake of highly purified fish oils as ethyl ester or triglyceride on lipids, haemostasis and platelet function in normolipaemic men. *Eur J Clin Nutr* 47(7):497-507.
- Hansen, J.-B.; Lyngmo, V.; Svensson, B.; Nordøy, A. 1993b. Inhibition of exercise-induced shortening of bleeding time by fish oil in familial hypercholesterolemia (Type IIa). *Arterioscler Thromb* 13(1):98-104.
- Hansen, J.-B.; Grimsgaard, S.; Nordøy, A.; Bønaa, K.H. 2000. Dietary supplementation with highly purified eicosapentaenoic acid and docosahexaenoic acid does not influence PAI-1 activity. *Thromb Res* 98(2):123-132. Harris, W.S.; Windsor, S.L.; Caspermeyer, J.J. 1993. Modification of lipid-related atherosclerosis risk factors by omega-3 fatty acid ethyl esters in hypertriglyceridemic patients. *J Nutr Biochem* 4:706-712.
- Harris, W.S.; Ginsberg, H.N.; Arunakul, N.; Shachter, N.S.; Windsor, S.L.; Adams, M.; Berglund, L.; Osmundsen, K. 1997. Safety and efficacy of Omacor in severe hypertriglyceridemia. *J Cardiovasc Risk* 4:385-391.
- Heinemann, T.; Axtmann, G.; von Bergmann, K. 1993. Comparison of intestinal absorption of cholesterol with different plant sterols in man. *Eur J Clin Invest* 23:827-831.
- Henderson, W.R. (Jr.); Astley, S.J.; McCready, M.M.; Kushmerick, P.; Casey, S.; Becker, J.W.; Ramsey, B.W. 1994. Oral absorption of omega-3 fatty acids in patients with cystic fibrosis who have pancreatic insufficiency and in healthy control subjects. *J Pediatr* 124(3):400-408.
- Hendriks, H.F.; Weststrate, J.A.; van Vliet, T.; Meijer, G.W. 1999. Spreads enriched with three different levels of vegetable oil sterols and the degree of cholesterol lowering in normocholesterolaemic and mildly hypercholesterolaemic subjects. *Eur J Clin Nutr* 53(4):319-327.
- Hendriks, H.F.; Brink, E.J.; Meijer, G.W.; Princen, H.M.; Ntanios, F.Y. 2003. Safety of long-term consumption of plant sterol esters-enriched spread. *Eur J Clin Nutr* 57(5):681-692.
- Hepburn, P.A.; Homer, S.A.; Smith, M. 1999. Safety evaluation of phytosterol esters: Part 2. Subchronic 90-day oral toxicity study on phytosterol esters: A novel functional food. *Food Chem Toxicol* 37(5):521-532.
- Higdon, J.V.; Liu, J.; Du, S.H.; Morrow, J.D.; Ames, B.N.; Wander, R.C. 2000. Supplementation of postmenopausal women with fish oil rich in eicosapentaenoic acid and docosahexaenoic acid is not associated with greater in vivo lipid peroxidation compared with oils rich in oleate and linoleate as assessed by plasma malondialdehyde and F(2)-isoprostanes. *Am J Clin Nutr* 72(3):714-722.
- Hung, P.; Gu, J.Y.; Kaku, S.; Yunoki, S.; Ohkura, K.; Ikeda, I.; Tachibana, H.; Sugano, M.; Yazawa, K.; Yamada, K. 2000. Dietary effects of eicosapentaenoic and docosahexaenoic acid esters on lipid metabolism and immune parameters in Sprague-Dawley rats. *Biosci Biotechnol Biochem* 64(12):2588-2593.

- Ikeda, I.; Nakagiri, H.; Sugano, M.; Ohara, S.; Hamada, T.; Nonaka, M.; Imaizumi, K. 2001. Mechanisms of phytosterolemia in stroke-prone spontaneously hypertensive and WKY rats. *Metabolism* 50(11):1361-1368.
- Innis, S.M.; Elias, S.L. 2003. Intakes of essential n-6 and n-3 polyunsaturated fatty acids among pregnant Canadian women. *Am J Clin Nutr* 77(2):473-478.
- Judd, J.T.; Baer, D.J.; Chen, S.C.; Clevidence, B.A.; Muesing, R.A.; Kramer, M.; Meijer, G.W. 2002. Plant sterol esters lower plasma lipids and most carotenoids in mildly hypercholesterolemic adults. *Lipids* 37(1):33-42.
- Katan, M.B.; Grundy, S.M.; Jones, P.; Law, M.; Miettinen, T.; Paoletti, R. 2003. Efficacy and safety of plant stanols and sterols in the management of blood cholesterol levels. *Mayo Clin Proc* 78(8):965-978.
- Kelley, D.S.; Taylor, P.C.; Nelson, G.J.; Mackey, B.E. 1998. Dietary docosahexaenoic acid and immunocompetence in young healthy men. *Lipids* 33(6):559-566.
- Kelley, D.S.; Taylor, P.C.; Nelson, G.J.; Schmidt, P.C. Ferreti, A.; Erickson, K.L.; Yu, R.; Chandra, R.K.; Mackey, B.E. 1999. Docosahexaenoic acid ingestion inhibits natural killer cell activity and production of inflammatory mediators in young healthy men. *Lipids* 34(4):317-324.
- Kim, J.-C.; Kang, B.-H.; Shin, C.-C.; Kim, Y-B.; Lee, H-S.; Kim, C.-Y.; Han, J.; Kim, K.-S.; Chung, D.-W.; Chung, M.-K. 2002. Subchronic toxicity of plant sterol esters administered by gavage to Sprague-Dawley rats. *Food Chem Toxicol* 40(11):1569-1580.
- Kritchevsky, D.; Tepper, S.A.; Czarnecki, S.K.; Wolfe, B.; Setchell, K.D. 2003. Serum and aortic levels of phytosterols in rabbits fed sitosterol or sitostanol ester preparations. *Lipids* 38(11):1115-1118.
- Krokan, H.E.; Bjerve, K.S.; Mork, E. 1993. The enteral bioavailability of eicosapentaenoic acid and docosahexaenoic acid is as good from ethyl esters as from glyceryl esters in spite of lower hydrolytic rates by pancreatic lipase in vitro. *Biochim Biophys Acta* 1168(1):59-67.
- Kruger, M.C.; Coetzer, H.; de Winter, R.; Gericke, G.; van Papendorp, D.H. 1998. Calcium, gamma-linolenic acid and eicosapentaenoic acid supplementation in senile osteoporosis. *Aging (Milano)* 10(5):385-394.
- Kurabayashi, T.; Okada, M.; Tanaka, K. 2000. Eicosapentaenoic acid effect on hyperlipidemia in menopausal Japanese women. The Niigata Epadel Study Group. *Obstet Gynecol* 96(4):521-528.
- Kwiterovich, P.O. (Jr.); Chen, S.C.; Virgil, D.G.; Schweitzer, A.; Arnold, D.R.; Kratz, L.E. 2003. Response of obligate heterozygotes for phytosterolemia to a low-fat diet and to a plant sterol ester dietary challenge. *J Lipid Res* 44(6):1143-1155.

- Leaf, A.; Jorgensen, M.B.; Jacobs, A.K.; Cote, G.; Schoenfeld, D.A.; Scheer, J.; Weiner, B.H.; Slack, J.D.; Kellett, M.A.; Raizner, A.E.; Weber, P.C.; Mahrer, P.R.; Rossouw, J.E. 1994. Do fish oils prevent restenosis after coronary angioplasty? *Circulation* 90(5):2248-2257.
- Lee, Y.M.; Haastert, B.; Scherbaum, W.; Hauner, H. 2003. A phytosterol-enriched spread improves the lipid profile of subjects with type 2 diabetes mellitus--a randomized controlled trial under free-living conditions. *Eur J Nutr* 42(2):111-117.
- Leigh-Firbank, E.C.; Minihane, A.M.; Leake, D.S.; Wright, J.W.; Murphy, M.C.; Griffin, B.A.; Williams, C.M. 2002. Eicosapentaenoic acid and docosahexaenoic acid from fish oils: Differential associations with lipid responses. *Br J Nutr* 87(5):435-445.
- Lenzi, S.; Caprioli, R.; Rindi, P.; Lazzerini, G.; Bernini, W.; Pardini, E.; Lucchetti, A.; Galli, C.; Carr, L.; De Caterina, R. 1996. Omega-3 fatty acids supplementation and lipoprotein(a) concentrations in patients with chronic glomerular diseases. *Nephron* 72:383-390.
- Ling, W.H.; Jones, P.J.H. 1995. Dietary phytosterols: A review of metabolism, benefits and side effects. *Life Sci* 57(3):195-206.
- Lungershausen, Y.K.; Abbey, M.; Nestel, P.J.; Howe, P.R. 1994. Reduction of blood pressure and plasma triglycerides by omega-3 fatty acids in treated hypertensives. *J Hypertens* 12:1041-1045.
- Luostarinen, R.; Wallin, R.; Wibell, L.; Saldeen, T. 1995. Vitamin E supplementation counteracts the fish oil-induced increase of blood glucose in humans. *Nutr Res* 15(7):953-968.
- Malini, T.; Vanithakumari, G. 1993. Effect of β -sitosterol on uterine biochemistry: A comparative study with estradiol and progesterone. *Biochem Mol Biol Int* 31(4):659-668.
- Mattson, F.H.; Volpenhein, R.A.; Erickson, B.A. 1977. Effect of plant sterol esters on the absorption of dietary cholesterol. *J Nutr* 107(7):1139-1146.
- Matvienko, O.A.; Lewis, D.S.; Swanson, M.; Arndt, B.; Rainwater, D.L.; Stewart, J.; Alekel, D.L. 2002. A single daily dose of soybean phytosterols in ground beef decreases serum total cholesterol and LDL cholesterol in young, mildly hypercholesterolemic men. *Am J Clin Nutr* 76(1):57-64.
- McGrath, L.T.; Brennan, G.M.; Donnelly, J.P.; Johnston, G.D.; Hayes, J.R.; McVeigh, E.G. 1996. Effect of dietary fish oil supplementation on peroxidation of serum lipids in patients with non-insulin dependent diabetes mellitus. *Atherosclerosis* 121:275-283.
- McVeigh, G.E.; Brennan, G.M.; Cohn, J.N.; Finkelstein, S.M.; Hayes, R.J.; Johnston, G.D. 1994. Fish oil improves arterial compliance in non-insulin-dependent diabetes mellitus. *Arterioscler Thromb* 14(9):1425-1429.
- Mellanen, P., Petänen, T., Lehtimäki, J., Mäkelä, S., Bylund, G., Holmbom, B., Mannila, E., Oikara, A.; Santti, R. 1996. Wood-derived estrogens: Studies *in vitro* with breast cancer cell lines and *in vivo* in trout. *Toxicol Appl Pharmacol* 136(2):381-388.

- Merritt, R.J.; Auestad, N.; Kruger, C.; Buchanan, S. 2003. Safety evaluation of sources of docosahexaenoic acid and arachidonic acid for use in infant formulas in newborn piglets. *Food Chem Toxicol* 41(6):897-904.
- Meyer, B.J.; Mann, N.J.; Lewis, J.L.; Milligan, G.C.; Sinclair, A.J.; Howe, P.R. 2003. Dietary intakes and food sources of omega-6 and omega-3 polyunsaturated fatty acids. *Lipids* 38(4):391-398.
- Miettinen, T.A., Tilvis, R.S.; Kesäniemi, Y.A. 1990. Serum plant sterols and cholesterol precursors reflect cholesterol absorption and synthesis in volunteers of a randomly selected male population. *Am J Epidemiol* 131(1):20-31.
- Minami, A.; Ishimura, N.; Sakamoto, S.; Takishita, E.; Mawatari, K.; Okada, K.; Nakaya, Y. 2002. Effect of eicosapentaenoic acid ethyl ester v. oleic acid-rich safflower oil on insulin resistance in type 2 diabetic model rats with hypertriacylglycerolaemia. *Br J Nutr* 87(2):157-162.
- Misso, N.L.A.; Thompson, P.J. 1995. Fish oil supplementation inhibits platelet aggregation and ATP release induced by platelet-activating factor and other agonists. *Platelets* 6(5):275-282.
- Miyajima, T.; Tsujino, T.; Saito, K.; Yokoyama, M. 2001. Effects of eicosapentaenoic acid on blood pressure, cell membrane fatty acids, and intracellular sodium concentration in essential hypertension. *Hypertens Res* 24(5):537-542.
- Morgan, W.A.; Raskin, P.; Rosenstock, J. 1995. A comparison of fish oil or corn oil supplements in hyperlipidemic subjects with NIDDM. *Diabetes Care* 18(1):83-86.
- Mori, T.A.; Beilin, L.J.; Burke, V.; Morris, J.; Ritchie, J. 1997. Interactions between dietary fat, fish and fish oils and their effects on platelet function in men at risk of cardiovascular disease. *Arterioscler Thromb Vasc Biol* 17(2):279-286.
- Mori, T.A.; Burke, V.; Puddey, I.B.; Watts, G.F.; O'Neal, D.N.; Best, J. D.; Beilin, L.J. 2000. Purified eicosapentaenoic and docosahexaenoic acids have differential effects on serum lipids and lipoproteins, LDL particle size, glucose, and insulin in mildly hyperlipidemic men. *Am J Clin Nutr* 71(5):1085-1094.
- Mori, A.; Woodman, R. J.; Burke, V.; Puddey, I.B.; Croft, K.D.; Beilin, L.J. 2003. Effect of eicosapentaenoic acid and docosahexaenoic acid on oxidative stress and inflammatory markers in treated-hypertensive type 2 diabetic subjects. *Free Radic Biol Med* 35(7):772-781.
- Morton, G.M.; Lee, S.M.; Buss, D.H.; Lawrence, P. 1995. Intakes and major dietary sources of cholesterol and phytosterols in the British diet. *J Hum Nutr Diet* 8:429-440.
- Mundal, H.H.; Gjesdal, K.; Landmark, K. 1993. The effect of n-3 fatty acids and nifedipine on platelet function in hypertensive males. *Thromb Res* 72:257-262.
- Nelson, G.J.; Schmidt, P.S.; Bartolini, G.L.; Kelley, D.S.; Kyle, D. 1997. The effect of dietary docosahexaenoic acid on platelet function, platelet fatty acid composition, and blood coagulation in humans. *Lipids* 32(11):1129-1136.

- Nestel, P.; Shige, H.; Pomeroy, S.; Cehun, M.; Abbey, M.; Raederstorff, D. 2002. The n-3 fatty acids eicosapentaenoic acid and docosahexaenoic acid increase systemic arterial compliance in humans. *Am J Clin Nutr* 76(2):326-330.
- Nigon, F.; Serfaty-Lacroisnierè, C.; Beucler, I.; Chauvois, D.; Neveu, C.; Giral, P.; Chapman, M.J.; Bruckert, E. 2001. Plant sterol-enriched margarine lowers plasma LDL in hyperlipidemic subjects with low cholesterol intake: Effect of fibrate treatment. *Clin Chem Lab Med* 39(7):634-640.
- Nilsen, D.W.T.; Almdahl, S.M.; Svensson, B.; Vaage, J.; Rasmussen, K.; Østerud, B. 1993. Lipopolysaccharide induced monocyte thromboplastin synthesis and coagulation responses in patients undergoing coronary bypass surgery after preoperative supplementation with n-3 fatty acids. *Thromb Haemost* 70(6):900-902.
- Noakes, M.; Clifton, P.; Ntanios, F.; Shrapnel, W.; Record, I.; McInerney, J. 2002. An increase in dietary carotenoids when consuming plant sterols or stanols is effective in maintaining plasma carotenoid concentrations 1-3. *Am J Clin Nutr* 75(1):79-86.
- Nomura, S.; Kanazawa, S.; Fukuhara, S. 2002. Effects of eicosapentaenoic acid on platelet activation markers and cell adhesion molecules in hyperlipidemic patients with Type 2 diabetes mellitus. *J Diabetes Complications* 17(3):153-159.
- Nordøy, A.; Barstad, L.; Hatcher, L.; Connor, W.E. 1991. Absorption of the n-3 eicosapentaenoic and docosahexaenoic acids as ethyl esters and triglycerides by humans. *Am J Clin Nutr* 53(5):1185-1190.
- Nordøy, A.; Hatcher, L.; Goodnight, S.; Fitzgerald, G.A.; Conner, W.E. 1994. Effects of dietary fat content, saturated fatty acids, and fish oil on eicosanoid production and hemostatic parameters in normal men. *J Lab Clin Med* 123(6):914-920.
- Nordøy, A.; Bønaa, K.H.; Nilsen, H.; Berge, R.K.; Hansen, J.B.; Ingebretsen, O.C. 1998. Effects of Simvastatin and omega-3 fatty acids on plasma lipoproteins and lipid peroxidation in patients with combined hyperlipidaemia. *J Intern Med* 243(1):163-170.
- Ntanios, F.Y.; Homma, Y.; Ushiro, S. 2002. A spread enriched with plant sterol-esters lowers blood cholesterol and lipoproteins without affecting vitamins A and E in normal and hypercholesterolemic Japanese men and women. *J Nutr* 132(12):3650-3655.
- Ntanios, F.Y.; van de Kooij, A.J.; de Deckere, E.A.; Duchateau, G.S.; Trautwein, E.A. 2003. Effects of various amounts of dietary plant sterol esters on plasma and hepatic sterol concentration and aortic foam cell formation of cholesterol-fed hamsters. *Atherosclerosis* 169(1):41-50.
- Otto, C.; Ritter, M.M.; Soennichsen, A.C.; Schwandt, P.; Richter, W.O. 1996. Effects of n-3 fatty acids and fenofibrate on lipid and hemorrheological parameters in familial dysbetalipoproteinemia and familial hypertriglyceridemia. *Metabolism Clin Exp* 45(1):1305-1311.
- Otto, S.; Houwelingen, A.; Hornstra, G. 2000. The effect of different supplements containing docosahexaenoic acid on plasma and erythrocyte fatty acids of healthy non-pregnant women. *Nutr Res* 20(7):917-927.

- Palozza, P.; Sgarlata, E.; Luberto, C.; Piccioni, E.; Anti, M.; Marra, G., Armelao, F.; Franceschelli, P.; Bartoli, G.M. 1996. n-3 Fatty acids induce oxidative modifications in human erythrocytes depending on dose and duration of dietary supplementation. *Am J Clin Nutr* 64(3):297-304.
- Park, Y.; Harris, W. 2002. EPA, but not DHA, decreases mean platelet volume in normal subjects. *Lipids* 37(10):941-946.
- Patel, S. 2001. Sitosterolaemia: Dietary cholesterol absorption. *Lancet* 358(Suppl. 1):63.
- Poulsen, R.C.; Kruger, M.C. 2004. Detrimental effect of high dose eicosapentaenoic acid supplementation on bone density in ovariectomised sprague dawley rats. *Asia Pac J Clin Nutr* 13(Suppl.):S49 [Abstract].
- Prisco, D.; Paniccia, R.; Filippini, M.; Francalanci, I.; Bandinelli, B.; Comeglio, P.; Rostagno, C.; Abbate, R.; Neri Serneri, G.G. 1994. No changes in PAI-1 levels after four-month n-3 PUFA ethyl ester supplementation in healthy subjects. *Thromb Res* 76(3):237-244.
- Prisco, D.; Filippini, M.; Francalanci, I.; Paniccia, R.; Gensini, G.F.; Neri Serneri, G.G. 1995. Effect of n-3 fatty acid ethyl ester supplementation on fatty acid composition of the single platelet phospholipids and on platelet functions. *Metabolism Clin Exp* 44(5):562-569.
- Quilez, J.; Rafecas, M.; Brufau, G.; Garcia-Lorda, P.; Megias, I.; Bullo, M.; Ruiz, J.A.; Salas-Salvado, J. 2003. Bakery products enriched with phytosterol esters, α -tocopherol and β -carotene decrease plasma LDL-cholesterol and maintain plasma β -carotene concentrations in normocholesterolemic men and women. *J Nutr* 133(10):3103-3109.
- Ratnayake, W.M.N.; Vavasour, E. 2004. Potential health effects associated with large intakes of plant sterols. In: Dutta, P. (Ed.). *Phytosterols as Functional Food Components and Nutraceuticals*. Marcel Dekker; New York, Vol. 1, pp. 365-395.
- Ratnayake, W.M.; Plouffe, L.; Hollywood, R.; L'Abbé, M.R.; Hidiroglou, N.; Sarwar, G.; Mueller, R. 2000a. Influence of sources of dietary oils on the life span of stroke-prone spontaneously hypertensive rats. *Lipids* 35(4):409-420.
- Ratnayake, W.M.N.; Abbe, M.R.L.; Mueller, R.; Hayward, S.; Plouffe, L.; Hollywood, R.; Trick, K. 2000. Vegetable oils high in phytosterols make erythrocytes less deformable and shorten the life span of stroke-prone spontaneously hypertensive rats. *J Nutr* 130(5):1166-1178.
- Ratnayake, W.M.N.; Plouffe, L.; L'Abbé, M.R.; Trick, K.; Mueller, R.; Hayward, S. 2003. Comparative health effects of margarines fortified with plant sterols and stanols on a rat model for hemorrhagic stroke. *Lipids* 38(12):1237-1247.
- Rosenblum, E.R.; Stauber, R.E.; Van Thiel, D.H.; Campbell, I.M.; Gavaler, J.S. 1993. Assessment of the estrogenic activity of phytoestrogens isolated from bourbon and beer. *Alcohol Clin Exp Res* 17(6):1207-1209.
- Rossing, P.; Hansen, B.V.; Nielsen, F.S.; Myrup, B.; Hølmer, G.; Parving, H.H. 1996. Fish oil in diabetic nephropathy. *Diabetes Care* 19(11):1214-1219.

- Russell, J.C.; Ewart, H.S.; Kelly, S.E.; Kralovec, J.; Wright, J.L.; Dolphin, P.J. 2002. Improvement of vascular dysfunction and blood lipids of insulin-resistant rats by a marine oil-based phytosterol compound. *Lipids* 37(2):147-152 & Erratum 37(9):929.
- Sacks, F.M.; Stone, P.H.; Gibson, C.M.; Silverman, D.I.; Rosner, B.; Pasternak, R.C. (For the HARP Research Group). 1995. Controlled trial of fish oil for regression of human coronary atherosclerosis. *J Am Coll Cardiol* 25(7):1492-1498.
- Salen, G.; Ahrens, E.H. (Jr.); Grundy, S.M. 1970. Metabolism of β -sitosterol in man. *J Clin Invest* 49:952-967.
- Sanders, T.A.B.; Oakley, F.R.; Miller, G.J.; Mitropoulos, K.A.; Crook, D.; Oliver, M.F. 1997. Influence of *n*-6 versus *n*-3 polyunsaturated fatty acids in diets low in saturated fatty acids on plasma lipoproteins and hemostatic factors. *Arterioscler Thromb Vasc Biol* 17(12):3449-3460.
- Sanders, D.J.; Minter, H.J.; Howes, D.; Hepburn, P.A. 2000. The safety evaluation of phytosterol esters. Part 6. The comparative absorption and tissue distribution of phytosterols in the rat. *Food Chem Toxicol* 38(6):485-491.
- Scheurlen, M.; Kirchner, M.; Clemens, M.R.; Jaschonek, K. 1993. Fish oil preparations rich in docosahexaenoic acid modify platelet responsiveness to prostaglandin-endoperoxide/thromboxane A₂ receptor agonists. *Biochem Pharmacol* 46(2):245-249.
- Seki, S.; Hidaka, I.; Kojima, K.; Yoshino, H.; Aoyama, T.; Okazaki, M.; Kondo, K. 2003. Effects of phytosterol ester-enriched vegetable oil on plasma lipoproteins in healthy men. *Asia Pac J Clin Nutr* 12(3):282-291.
- Shipley, R.E.; Pfeiffer, R.R.; Marsh, M.M.; Anderson, R.C. 1958. Sitosterol feeding: Chronic animal and clinical toxicology and tissue analysis. *Circ Res* 6(1):373-382.
- Silva, J.M.; Souza, I.; Silva, R.; Tavares, P.; Teixeira, F.; Silva, P.S. 1996. The triglyceride lowering effect of fish oils is affected by fish consumption. *Int J Cardiol* 57:75-80.
- Simons, L.A. 2002. Additive effect of plant sterol-ester margarine and cerivastatin in lowering low-density lipoprotein cholesterol in primary hypercholesterolemia. *Am J Cardiol* 90(7):737-740.
- Smuts, C.M.; Huang, M.; Mundy, D.; Plasse, T.; Major, S.; Carlson, S.E. 2003. A randomized trial of docosahexaenoic acid supplementation during the third trimester of pregnancy. *Obstet Gynecol* 101(3):469-479.
- Stalenhoef, A.F.; Hectors, M.; Demacker, P.N. 2001. Effect of plant sterol-enriched margarine on plasma lipids and sterols in subjects heterozygous for phytosterolaemia. *J Intern Med* 249(2):163-166.
- Swahn, E.; von Schenck, H.; Olsson, A.G. 1998. Omega-3 ethyl ester concentrate decreases total apolipoprotein CIII and increases antithrombin III in postmyocardial infarction patients. *Clin Drug Invest* 15:473-482.

- Tatematsu, K., Fuma, S., Nagase, T., Ichikawa, Y., Fujii, Y., Okuyama, H. 2004. Factors other than phytosterols in some vegetable oils affect the survival of SHRSP rats. *Food Chem Toxicol* 42:1443-1451.
- Toft, I.; Bønaa, K.H.; Ingebretsen, O.C.; Nordøy, A.; Jenssen, T. 1997. Fibrinolytic function after dietary supplementation with ω 3 polyunsaturated fatty acids. *Arterioscler Thromb Vasc Biol* 17:814-819.
- Tremoli, E.; Maderna, P.; Marangoni, F.; Colli, S.; Eligini, S.; Catalano, I.; Angeli, M.; Pazzucconi, F.; Gianfranceschi, G.; Davi, G.; Stragliotto, E.; Sirtori, C.; Galli, C. 1995. Prolonged inhibition of platelet aggregation after n-3 fatty acid ethyl ester ingestion by healthy volunteers. *Am J Clin Nutr* 61:607-613.
- Tsai, P.-J.; Lu, S.-C. 1997. Fish oil lowers plasma lipid concentrations and increases the susceptibility of low density lipoprotein to oxidative modification in healthy men. *Taiwan i Hsueh Hui Tsa Chih (J Formos Med Assoc)* 96(9):718-726.
- Turini, M.E.; Powell, W.S.; Behr, S.R.; Holub, B.J. 1994. Effects of a fish-oil and vegetable-oil formula on aggregation and ethanolamine-containing lysophospholipid generation in activated human platelets and on leukotriene production in stimulated neutrophils. *Am J Clin Nutr* 60:717-724.
- Vidgren, H.M.; Ågren, J.J.; Schwab, U.; Rissanen, T.; Hänninen, O.; Uusitupa, M.I. 1997. Incorporation of n-3 fatty acids into plasma lipid fractions, and erythrocyte membranes and platelets during dietary supplementation with fish, fish oil, and docosahexaenoic acid-rich oil among healthy young men. *Lipids* 32(7):697-705.
- von Schacky, C.; Angerer, P.; Kothny, W.; Theisen, K.; Mudra, H. 1999. The effect of dietary ω -3 fatty acids on coronary atherosclerosis: A randomized, double-blind, placebo-controlled trial. *Ann Intern Med* 130(7):554-562.
- Waalkens-Berendsen, D.H.; Wolterbeek, A.P.; Wijnands, M.V.; Richold, M.; Hepburn, P.A. 1999. Safety evaluation of phytosterol esters. Part 3. Two-generation reproduction study in rats with phytosterol esters--A novel functional food. *Food Chem Toxicol* 37(7):683-696.
- Weststrate, J.A.; Ayesh, R.; Bauer-Plank, C.; Drewitt, P.N. 1999. Safety evaluation of phytosterol esters. Part 4. Faecal concentrations of bile acids and neutral sterols in healthy normolipidemic volunteers consuming a controlled diet either with or without a phytosterol ester-enriched margarine. *Food Chem Toxicol* 37(11):1063-1071.
- Wheaton, D.H.; Hoffman, D.R.; Locke, K.G.; Watkins, R.B.; Birch, D.G. 2003. Biological safety assessment of docosahexaenoic acid supplementation in a randomized clinical trial for X-linked retinitis pigmentosa. *Arch Ophthalmol* 121(9):1269-1278.
- Wigmore, S.J.; Ross, J.A.; Falconer, J.S.; Plester, C.E.; Tisdale, M.J.; Carter, D.C.; Fearon, K.C. 1996. The effect of polyunsaturated fatty acids on the progress of cachexia in patients with pancreatic cancer. *Nutrition* 12(1):S27-S30.

- Wolfreys, A.M.; Hepburn, P.A. 2002. Safety evaluation of phytosterol esters. Part 7. Assessment of mutagenic activity of phytosterols, phytosterol esters and the cholesterol derivative, 4-cholestene-3-one. *Food Chem Toxicol* 40(4):461-470.
- Woodman, R.J.; Mori, T.A.; Burke, V.; Puddey, I.B.; Barden, A.; Watts, G.F.; Beilin, L.J. 2002. Effects of purified eicosapentaenoic acid and docosahexaenoic acid on platelet, fibrinolytic and vascular function in hypertensive type 2 diabetic patients. *Atherosclerosis* 166(1):85-93.
- Yang, H.; Roberts, L.J.; Shi, M.J.; Zhou, L.C.; Ballard, B.R.; Richardson, A.; Guo, Z.M. 2004. Retardation of atherosclerosis by overexpression of catalase or both Cu/Zn-superoxide dismutase and catalase in mice lacking apolipoprotein E. *Circ Res* 95(11):1075-1081.
- Yasui, T.; Tanaka, H.; Fujita, K.; Iguchi, M.; Kohri, K. 2001. Effects of eicosapentaenoic acid on urinary calcium excretion in calcium stone formers. *Eur Urol* 39(5):580-585.
- Yosefy, C.; Viskoper, J.R.; Varon, D.; Ilan, Z.; Pilpel, D.; Lugassy, G.; Schneider, R.; Adan, Y.; Raz, A. 1996. Repeated fasting and refeeding with 20:5, n-3 eicosapentaenoic acid (EPA): A novel approach for rapid fatty acid exchange and its effect on blood pressure, plasma lipids and hemostasis. *J Hum Hypertens* 10(Suppl. 3):S135-S139.
- Yu, L.; von Bergmann, K.; Lutjohann, D.; Hobbs, H.H.; Cohen, J.C. 2004. Selective sterol accumulation in ABCG5/ABCG8-deficient mice. *J Lipid Res* 45(2):301-307.